

Home (<https://president-electronics.com>) > CB Radios / Ham Radios (https://president-electronics.com/CB-Radio_Ham-Radio)
> AM / FM / SSB transceivers (https://president-electronics.com/CB-Radio_Ham-Radio/AM-FM-SSB) > GEORGE II



GEORGE II **NEW**

Ref.: TXPR900

Post Save Share Send to a Friend

- 40 channels AM / FM / LSB / USB
- Channel selector rotary
- VFO mode (from 26.965 MHz to 27.405 MHz)
- RF Power
- Manual squelch
- ASC
- Display LCD multifunction
- Frequencies display
- S-meter Digital
- Public address
- Talkback
- Vox
- Filter ANL
- Filter NB
- Filter HI-CUT
- NRC
- RF Gain
- Mike-Gain
- Clarifier
- Scan
- Memory 4
- Dimmer
- Key Beep
- Roger beep
- Dual watch
- Key locking
- SWR (Power Reading /SWR)

- CTCSS 38 tones
- DCS 104 codes
- 12 V

Back light color:



Specifications

Supply	:	13.2 V
Number of channels	:	40
AM	:	✓
FM	:	✓
SSB	:	✓
Channel selector	:	rotary
VFO mode	:	✓
Volume	:	Volume adjustment and ON/OFF
RF Power	:	✓
Squelch	:	Manual squelch
ASC	:	✓
Display	:	LCD multifunction
Frequencies display	:	✓
S-meter	:	Digital
Public address	:	✓
Talkback	:	✓
Vox	:	✓
Automatic SWR meter	:	✓
Tone	:	✓
Filter ANL	:	✓
Filter NB	:	✓
Filter HI-CUT	:	✓
NRC	:	✓
Noise Gate	:	✓
RF Gain	:	✓
Mike-Gain	:	✓
Clarifier	:	✓

Scan	:	✓
Scan Skip	:	✓
Memory	:	4
Dimmer	:	✓
F / Menu function key	:	✓
Key Beep	:	✓
Roger beep	:	✓
Dual watch	:	✓
Key locking	:	✓
SWR (Power Reading /SWR)	:	✓
Preset channel	:	EMG 1&2 (customizable)
Repeater / Relay (only D band)	:	✓
CTCSS	:	38 tones
DCS	:	104 codes
Microphone plug	:	front (6 pins)
External Vox microphone jack	:	✓
External loudspeaker jack	:	✓
Size	:	185 (W) x 172 (D) x 56 (H) mm
Weight	:	1.190 kg



Technical characteristics

General

Number of channels	:	40
Modulation modes	:	AM/FM/USB/LSB
Frequency ranges	:	from 26.965 MHz to 27.405 MHz
CTCSS	:	38 tones
DCS	:	104 codes
Antenna impedance	:	50 ohms
Power supply	:	12 V
Size	:	185 (W) x 172 (D) x 56 (H) mm
Weight	:	1.190 kg
Accessories supplied	:	power cord with fuse 1 microphone UP/DOWN and its hanger 1 mounting bracket with fixing screws

Transmission

Frequency allowance	:	+/- 200 Hz
Carrier power	:	4 W AM / 4 W FM / 12 W PEP USB LSB

Transmission interference	:	less than 4 nW (-54 dBm)
Audio response	:	300 Hz to 3 kHz AM/FM/USB/LSB
Emitted power in the adj. channel	:	less than 20 µW
Microphone sensitivity	:	3.0 mV
Drain	:	< 5 A max. with modulation (13.2 V)
Modulated signal distortion	:	2 %

Reception

Maxi. sensitivity at 20 dB sinad	:	0.5 µV -113 dBm (AM) 0.35 µV -116 dBm (FM) 0.28 µV -118 dBm (USB LSB)
Frequency response	:	300 Hz to 3 kHz AM/FM
Adjacent channel selectivity	:	60 dB
Maximum audio power	:	3 W
Squelch sensitivity	:	minimum : 0.2 µV - 120 dBm maximum : 1 mV - 47 dBm
Frequency image rejection rate	:	60 dB
Intermediate frequency rej. rate	:	70 dB
Drain	:	200 ~ 600 mA max (13.2 V)

CTCSS Tone List

N°	Freq. (Hz)	N°	Freq. (Hz)	N°	Freq. (Hz)
00 - oF	OFF	13	103.5	26	162.2
1	67.0	14	107.2	27	167.9
2	71.9	15	110.9	28	173.8
3	74.4	16	114.8	29	179.9
4	77.0	17	118.8	30	186.2
5	79.7	18	123.0	31	192.8
6	82.5	19	127.3	32	203.5
7	85.4	20	131.8	33	210.7
8	88.5	21	136.5	34	218.1
9	91.5	22	141.3	35	225.7
10	94.8	23	146.2	36	233.6
11	97.4	24	151.4	37	241.8
12	100.0	25	156.7	38	250.3

DCS Code List

N°	DCS (Octal)	N°	DCS (Octal)	N°	DCS (Octal)	N°	DCS (Octal)
1	23	27	152	53	311	79	466
2	25	28	155	54	315	80	503
3	26	29	156	55	325	81	506
4	31	30	162	56	331	82	516
5	32	31	165	57	332	83	523
6	36	32	172	58	343	84	526

7	43	33	174	59	346	85	532
8	47	34	205	60	351	86	546
9	51	35	212	61	356	87	565
10	53	36	223	62	364	88	606
11	54	37	225	63	365	89	612
12	65	38	226	64	371	90	624
13	71	39	243	65	411	91	627
14	72	40	244	66	412	92	631
15	73	41	245	67	413	93	632
16	74	42	246	68	423	94	654
17	114	43	251	69	431	95	662
18	115	44	252	70	432	96	664
19	116	45	255	71	445	97	703
20	122	46	261	72	446	98	712
21	125	47	263	73	452	99	723
22	131	48	265	74	454	100	731
23	132	49	266	75	455	101	732
24	134	50	271	76	462	102	734
25	143	51	274	77	464	103	743
26	145	52	306	78	465	104	754



Antennas recommended

Antennas recommended for this transceiver

★★★★ Excellent ★★★ Very Good ★ Correct ✗ Not Recommended

Main rule for best antenna performance: "More the antenna is long, better are the performances." Please consult your dealer for advice.



MS 145 CN

★★★★

[View product \(https://president-electronics.com/Antennas/the-must/MS-145-CN\)](https://president-electronics.com/Antennas/the-must/MS-145-CN)



MARYLAND

★★★★

[View product \(https://president-electronics.com/Antennas/Fix\)](https://president-electronics.com/Antennas/Fix)



Documents



Manual

GEORGE II v1.03

- Français / English / Español / Polski -

5.28Mb

[Download \(https://president-electronics.com/cache/documents/product/georgeii4languesfrenesplv1.03advanceduserg\)](https://president-electronics.com/cache/documents/product/georgeii4languesfrenesplv1.03advanceduserg)



Declaration of conformity

Déclaration de Conformité GEORGE II (RED)

- English -

317.44Kb

[Download \(https://president-electronics.com/cache/documents/product/dclarationdeconformitgeorgeiired-387.pdf\)](https://president-electronics.com/cache/documents/product/dclarationdeconformitgeorgeiired-387.pdf)



Photos



Orange

845.44Kb

[Download \(/image/download/1065\)](/image/download/1065)



Green

760.73Kb

[Download \(/image/download/1066\)](/image/download/1066)



Blue

823.33Kb

[Download \(/image/download/1064\)](/image/download/1064)



Cyan

838.52Kb

[Download \(/image/download/1068\)](/image/download/1068)



Yellow

846.12Kb



Purple

865.14Kb

Download (/image/download/1063)

Download (/image/download/1069)



CyanLight

830.65Kb

Download (/image/download/1067)

Associated product(s)



DIGIMIKE

[View product \(https://president-electronics.com/Accessories/CB/Microphones/DIGIMIKE\)](https://president-electronics.com/Accessories/CB/Microphones/DIGIMIKE)



Micro DNC-520 UP/DOWN

[View product \(https://president-electronics.com/Accessories/CB/Microphones/Micro DNC-520 UP/DOWN\)](https://president-electronics.com/Accessories/CB/Microphones/Micro DNC-520 UP/DOWN)

Comments

Add your comment

Username

Email

Your email will not be displayed. It is used to respond to you if necessary

Title

Content

Rating



Send

Comments

There are no comments yet

◀ Previous product (<https://president-electronics.com/RadioCB/AM-FM-BLU/MC-KINLEY>)

Categories / Products

CB RADIOS / HAM RADIOS (https://president-electronics.com/CB-Radio_Ham-Radio)

ANTENNAS (<https://president-electronics.com/Antennas>)

ACCESSORIES (<https://president-electronics.com/Accessories>)

MINICOM RANGE (<https://president-electronics.com/Minicom-Range>)

OTHER PRODUCTS (<https://president-electronics.com/Others-products>)

Useful links

COMPATIBILITY CB RADIO/ MICROS (<https://president-electronics.com/Useful-advices/Compatibility-transceivers-micros>)

RECOMMENDATION TRANSCEIVER - ANTENNA (<https://president-electronics.com/Useful-advices/Recommendation-transceiver-antenna>)

DOWNLOAD (<https://president-electronics.com/download>)

GENERAL WARRANTY CONDITIONS (<https://president-electronics.com/General-Warranty-Conditions>)

PRESIDENT CB RADIO AND EUROPE (<https://president-electronics.com/PRESIDENT-Radio-CB-and-europe>)

LEGAL NOTICE (<https://president-electronics.com/PRESIDENT-Radio-CB-and-europe/Legal-notice>)


LOGIN (<https://president-electronics.com/login>)


Latest articles

Eco Friendly

(<https://president-electronics.com/News/eco-friendly>)

Contact

 GROUPE PRESIDENT ELECTRONICS
Route de Sète BP 100
34540 Balaruc-les-Bains , France

 +33 4.67.46.27.27 (tel:+33 4.67.46.27.27)

 Find us, Contact us (<https://president-electronics.com/contact>)

Follow us



Youtube

(<https://www.youtube.com/channel/UCr9DfFwFDCLfU4MqJOQEiUw>)



Authorized Economic Operator
FR00159672